






LIGHT COMMERCIAL VEHICLES

RENAULT KANGOO 1.9D

TECHNICAL SPECIFICATIONS

GROUP 2

- **Sipp Code:** VPIW
- **Fuel:** Diesel
- **Fuel tank capacity:** 55 liters
- **Seats:** 2
- **Volume:** 2,90m³
- **Load capacity:** 625 Kg
- **Rear doors:** Open sideways
- **Spare wheel and jack:** Rear beneath.
- **Tire iron:** In the engine hood.
- **The engine is able to work when the yellow light located in the instrument panel goes out.**
-  **Assisted direction.**  **Radio.**
-  **Central locking doors.**  **Electric windows.**






- ◆ – Total length ⇒ 4,00
- ◆ – Total height ⇒ 1,83
- ◆ – Overall width ⇒ 1,69
- ◆ – Width upper back entrance ⇒ 1,08
- ◆ – Working length ⇒ 1,55
- ◆ – Useful height ⇒ 1,28
- ◆ – Useful width ⇒ 1,50
- ◆ – Width lower back entrance ⇒ 1,20
- ◆ – Width on the ledge of the wheels ⇒ 1,17
- ◆ – Height rear door ⇒ 1,18

**IVECO 29L12V Turbo Intercooler
(Single rotated)**

TECHNICAL SPECIFICATIONS

GROUP 3

- **Sipp Code:** VMHW
- **Fuel:** Diesel
- **Fuel tank capacity:** 70 liters
- **Seats:** 3
- **Volume:** 10m³
- **Load capacity:** 1.430 Kg
- **Rear doors:** Open sideways
- **Side door:** Opens in prolonging the box.
- **Wheel wrench:** In the engine hood
- **Spare wheel:** Inside the cargo box.
- **Jack:** Under the driver's seat.
- **The engine is able to work when the yellow light located in the instrument panel goes out.**
- **Assisted direction.**  **Radio.**  **Disc brake on 4 wheels.**
- **Electric windows.**




- ◆ – Total length \Rightarrow 5,07
- ◆ – Total height \Rightarrow 2,26
- ◆ – Overall width \Rightarrow 1,99
- ◆ – Width upper back entrance \Rightarrow 1,54
- ◆ – Working length \Rightarrow 2,60
- ◆ – Useful height \Rightarrow 1,54
- ◆ – Useful width \Rightarrow 1,80
- ◆ – Width lower back entrance \Rightarrow 1,54
- ◆ – Width on the ledge of the wheels \Rightarrow 1,32
- ◆ – Useful height rear door entrance \Rightarrow 1,78
- ◆ – Useful height side door entrance \Rightarrow 1,78
- ◆ – Wide side door entrance \Rightarrow 1,10

TECHNICAL SPECIFICATIONS

GROUP 4

- **Sipp Code:** VGHW
- **Fuel:** Diesel
- **Fuel tank capacity:** 70 liters
- **Seats:** 3
- **Volume:** 12m³
- **Load capacity:** 1.365 Kg
- **Rear doors:** Open sideways
- **Side door:** Opens in prolonging the box.
- **Wheel wrench:** In the engine hood
- **Spare wheel:** Inside the cargo box.
- **Jack:** Under the driver's seat.
- **The engine is able to work when the yellow light located in the instrument panel goes out.**
- **Assisted direction.** **Radio.** **Disc brake on 4 wheels.**
- **Electric windows.**




- ◆ – Total length ⇒ 5,99
- ◆ – Total height ⇒ 2,75
- ◆ – Overall width ⇒ 2,00
- ◆ – Width upper back entrance ⇒ 1,54
- ◆ – Working length ⇒ 3,52
- ◆ – Useful height ⇒ 1,90
- ◆ – Useful width ⇒ 1,80
- ◆ – Width lower back entrance ⇒ 1,54
- ◆ – Width on the ledge of the wheels ⇒ 1,32
- ◆ – Useful height rear door entrance ⇒ 1,78
- ◆ – Useful height side door entrance ⇒ 1,78
- ◆ – Wide side door entrance ⇒ 1,25

TECHNICAL SPECIFICATIONS

GROUP 5

- **Sipp Code:** TMHW
- **Fuel:** Diesel
- **Fuel tank capacity:** 70 liters
- **Seats:** 3
- **Volume:** 17,2m³
- **Load capacity:** 1.055 Kg
- **Rear doors:** Open sideways
- **Side door:** Opens in prolonging the box.
- **Wheel wrench:** In the engine hood
- **Spare wheel:** Inside the cargo box.
- **Jack:** Under the driver's seat.
- **The engine is able to work when the yellow light located in the instrument panel goes out.**
- **Assisted direction.** **Radio.** **Disc brake on 4 wheels.**
- **Electric windows.**



- ◆ – Total length ⇒ 7,00
- ◆ – Total height ⇒ 2,94
- ◆ – Overall width ⇒ 2,00
- ◆ – Width upper back entrance ⇒ 1,54
- ◆ – Working length ⇒ 4,56
- ◆ – Useful height ⇒ 2,10
- ◆ – Useful width ⇒ 1,80
- ◆ – Width lower back entrance ⇒ 1,54
- ◆ – Width on the ledge of the wheels ⇒ 1,32
- ◆ – Useful height rear door entrance ⇒ 1,99
- ◆ – Useful height side door entrance ⇒ 1,78
- ◆ – Wide side door entrance ⇒ 1,25